## References

## References

- Adams, D.A., J.S. O'Connor, and S.B. Weisberg. 1998. Final Report: Sediment Quality of the NY/NJ Harbor System An Investigation under the Regional Environmental Monitoring and Assessment Program (REMAP). EPA/902-R-98-001. Prepared for the U.S. Environmental Protection Agency, Division of Environmental Science and Assessment, Region 2, Edison, NJ. Web site at www.epa.gov/emap/remap/html/docs/nynjharbor.html.
- AMAP (Arctic Monitoring and Assessment Program). 2004. AMAP Assessment 2002: Persistent Organic Pollutants in the Arctic. Oslo, Norway, 310 pp.
- ASFMC (Atlantic States Marine Fisheries Commission). 2000. American Lobster Stock Assessment for Peer Review. Stock Assessment Report No. 00-01 (Supplement). Atlantic States Marine Fisheries Commission Special Report 61, Washington, DC.
- ASTM (American Society of Testing and Materials). 1995. Standard Test Methods for Measuring the Toxicity of Sediment-Associated Contaminants with Fresh Water Invertebrates. ASTM Designation E-1706-95b. ASTM Standard Methods Series, Volume 11.05. The American Society of Testing and Materials, Philadelphia, PA.
- Baldwin-Brown, A., B. Cann, R. Connell, A. Korndoerfer, M. Kusmiez, L. McGeorge, P. Morton, P. Olsen, J. Sell, M. Serfes, T. Vernam. 2003. Water Quality Monitoring Networks 2003. New Jersey Department of Environmental Protection, Water Monitoring and Standards, Trenton, NJ. Web site at http://www.state.nj.us/dep/wmm/brochure/ networks.html.
- Barras, J., S. Hartley, J.B. Johnston, and W.R. Jones. 2004. 100+ years of land change for coastal Louisiana. In *ESRI Map Book*, v. 19. N. Sappington (ed.) p. 74.
- Bergondo, D., Kester, D., Stoffel, H., Woods, W. In Press. Time series observations during low sub-surface oxygen events in Narragansett Bay in 2001. *Marine Chemistry*.
- Boesch, D.F. 2002. Challenges and opportunities for science in reducing nutrient over-enrichment of coastal ecosystems. *Estuaries* 25:744–758.
- Boyer, E.W., C.L. Goodale, N.A. Jaworski, and R.W. Howarth. 2002. Anthropogenic nitrogen sources and relationships to riverine export in the northeastern U.S.A. Biogeochemistry 57/58:137–169.
- Bricker, S.B., C.G. Clement, D.E. Pirhalla, S.P. Orlando, and D.R.G. Farrow. 1999. *National Estuarine Eutrophication Assessment: Effects of Nutrient Enrichment in the Nation's Estuaries*. Prepared for the National Oceanic and Atmospheric Administration, National Ocean Service, Special Projects Office and the National Centers for Coastal Ocean Science, Silver Spring, MD.
- Carlton, J.T. 2001. Introduced Species in U.S. Coastal Waters: Environmental Impacts and Management Priorities. Prepared for the Pew Oceans Commission, Arlington, VA.
- CAST (Council for Agricultural Science and Technology). 1999. Gulf of Mexico hypoxia: land and sea interactions. *Task Force Report No. 134*.

- CENR (Committee on the Environment and Natural Resources). 2000. *Integrated Assessment of Hypoxia in the Northern Gulf of Mexico*. National Science and Technology Council Committee on Environment and Natural Resources, Washington, DC.
- Chapman, P.M. 1990. The Sediment Quality Triad approach to determining pollution-induced degradation. *The Science of the Total Environment 97*/98:815–825.
- Chapra, S.C., and H.F.H. Dobson. 1981. Quantification of the lake trophic typologies of Naumann (surface quality) and Thienemann (oxygen) with special reference to the Great Lakes. *International Association for Great Lakes Research* 7(2):182–193.
- Chary, L.K. 2000. Persistent Organic Pollutants in Alaska. Circumpolar Conservation Union, Washington, DC. Circumpolar online information. Web site at www.circumpolar.org.
- Clark, S.H., S.X. Cadrin, D.F. Schick, P.J. Diodati, M.P. Armstrong, and D. McCarron. 2000. The Gulf of Maine northern shrimp (Pandalus borealis) fishery: A review of the record. *Journal of Northwest Atlantic Fish Science* 27:193–226.
- Coiro, L., S.L. Poucher, and D. Miller. 2000. Hypoxic effects on growth of *Palaemonetes vulgaris* larvae and other species: Using constant exposure data to estimate cyclic exposure response. *Journal of Experimental Biology and Ecology* 247:243–255.
- Cunningham, C., and K. Walker. 1996. Enhancing public access to the coast through the CZMA. Current: *The Journal of Marine Education 14*(1):8–12.
- Dahl, T.E. 1990. Wetlands—Losses in the United States, 1780s to 1980s. U.S. Department of the Interior, Fish and Wildlife Service, Report to Congress, Washington, DC. Web site at http://www.npwrc.usgs.gov/resource/othrdata/wetloss/wetloss.htm
- Dahl, T.E. 2003. *Results of the 2000 National Wetlands Inventory*. U.S. Department of the Interior, U.S. Fish and Wildlife Service, Washington, DC. Unpublished.
- Daskalakis, K.D., and T.P. O'Conner. 1994. *Inventory of Chemical Concentrations in Coastal and Estuarine Sediments*. Prepared for the National Oceanic and Atmospheric Administration, National Ocean Service, Silver Spring, MD. NOAA Technical Memorandum NOS ORCA 76.
- Dauer, D.M., M.F. Lane, and R.J. Llanso. 2002. Development of Diagnostic Approaches to Determine Sources of Anthropogenic Stress Affecting Benthic Community Condition in the Chesapeake Bay. Final Report. Submitted to U.S. Environmental Protection Agency Chesapeake Bay Program Office, Annapolis, MD.
- Dettmann, E.H. 2001. Effect of water residence time on annual export and denitrification of nitrogen in estuaries: A model analysis. *Estuaries* 24:481–490.
- Diaz, R.J., and R. Rosenberg. 1995. Marine benthic hypoxia: A review of it ecological effects and the behavioral responses of benthic macrofauna. *Oceanography and Marine Biology Annual Review* 33:245–303.

- DiToro, D.M., C.S. Zarba, D.J. Hansen, W.J. Berry, R.C. Swartz, C.E. Cowan, S.P. Pavlou, H.E. Allen, N.A. Thomas, and P.R. Paquin. 1991. Technical basis for establishing sediment quality criteria for nonionic organic chemicals using equilibrium partitioning. Environmental Toxicology Chemistry 10:1541–1583.
- Duke, T.W., and W.L. Kruczynski (eds). 1992. Status and Trends of Emergent and Submerged Vegetated Habitats of the Gulf of Mexico. EPA/800-R-92-003. Gulf of Mexico Program, U.S. Environmental Protection Agency, Stennis Space Center, MS.
- Engle, V.D., J.K. Summers, and G.R. Gaston. 1994. A benthic index of environmental condition of Gulf of Mexico estuaries. *Estuaries* 17:372–384.
- Engel, V.D., and G.W. Thayer. 1998. Effects of habitat alteration on blue crabs. *Journal of Shellfish Research* 17(2):579–586.
- Engle, V.D., and J.K. Summers. 1999. Refinement, validation, and application of a benthic condition index for northern Gulf of Mexico estuaries. *Estuaries* 22(3A):624–635.
- Fortner, A.R., M. Sanders, and S.W. Lemire. 1996. Polynuclear aromatic hydrocarbons and trave metal burdens in sediment and the oyster, *Crassostrea virginica Gmelin*, from two high salinity estuaries in South Carolina. In *Sutain Coastal Development in the Southeastern Coastal Zone*. F.J. Vernberg, W.B. Vernberg, and T.S. Siewicki (eds.). Univ. of South Carolina Press, Columbia, SC:445-476.
- FWS (U.S. Fish and Wildlife Service). 2004. National Wetlands Inventory Website. U.S. Dept. of the Interior, Fish and Wildlife Service online information. St. Petersburg, FL. Web site at http://www.nwi.fws.gov. Accessed March 2004.
- GBEP (Galveston Bay Estuary Program). 2002. The State of the Bay: A Characterization of the Galveston Bay Ecosystem, Second Edition. GBNEP T-7. Galveston Bay National Estuary Program Publication Series.
- GBNEP (Galveston Bay National Estuary Program). 1994a. The Galveston Bay Plan: The Comprehensive Conservation and Management Plan for the Galveston Bay Ecosystem. GBNEP-49. Webster, TX.
- GBNEP (Galveston Bay National Estuary Program). 1994b. *The State of the Bay: A Characterization of the Galveston Bay Ecosystem*. GBNEP-44. Webster, TX.
- Gersten, J. 1995. *Galveston Bay Characterization, Texas Water Resources*. Texas Water Resources Institute, Texas A&M University, College Station, TX 21(4).
- GLNPO (Great Lakes National Program Office). 2003. GLNPO online information. Web site at www.epa.gov/glnpo/monitoring/indiactors/limnology/. Index.
- GLNPO (Great Lakes National Program Office). 2004. GLNPO online information. Web site at www.epa.gov/glnpo/aoc/index

- Goolsby, D.A., W.A. Battaglin, G.B. Lawrence, R.S. Artz, B.T. Aulenbach, R.P. Hooper, D.R. Keeney, and G.J. Stensland. 1999. Flux and Sources of Nutrients in the Mississippi-Atchafalaya River Basin: Topic 3 Report for the Integrated Assessment on Hypoxia in the Gulf of Mexico. National Oceanic and Atmospheric Administration, Coastal Ocean Program Decision Analysis Series No. 17. NOAA Coastal Ocean Program, Silver Spring, MD.
- Grabe, S.A., D.J. Karlen, C.M. Holden, B. Goetting, and T. Dix. 2002. Tampa Bay Benthic Monitoring Program: Status of Hillsborough Bay, 1993–1998. Environmental Protection Commission of Hillsborough County, FL.
- Green, A., M. Osborn, P. Chai, J. Lin, C. Loeffler, A. Morgan, P. Rubec, S. Spanyers,
  A. Walton, R.D. Slack, D. Gawlik, D. Harpole, J. Thomas, E. Buskey, K. Schmidt,
  R. Zimmerman, D. Harper, D. Hinkley, and T. Sager. 1992. Status and Trends of Selected Living Resources in the Galveston Bay System. Galveston Bay National Estuary Program Publication GBNEP-19. Webster, TX.
- GMP (Gulf of Mexico Program). 2000. A Framework for an Integrated and Comprehensive Monitoring Plan for Estuaries on the Gulf of Mexico. EPA-620/R-00/005. U.S. Environemtal Protection Agency.
- Hagy, J.D. 2002. Eutrophication, hypoxia and trophic transfer efficiency in Chesapeake Bay. Ph.D. Dissertation. University of Maryland, College Park, MD.
- Hagy, J.D., W.R. Boynton, C.W. Keefe, and K.V. Wood. 2004. Hypoxia in Chesapeake Bay, 1950–2001: Long-term change in relation to nutrient loading and river flow. Submitted to *Estuaries*.
- Hammar-Klose, E.S., and E.R. Thieler 2001. *Coastal Vulnerability to Sea-Level Rise: A Preliminary Database for the U.S. Atlantic, Pacific, and Gulf of Mexico Coasts.* U.S. Geological Survey, Digital Data Series DDS-68.
- Harmon, M.R., A.S. Pait, and M.J. Hameedi. 2003. Sediment Contamination, Toxicity, and Macroinvertebrate Infaunal Community in Galveston Bay. NOAA Technical Memorandum NOS NCCOS CCMA 122. National Oceanic and Atmospheric Administration, National Ocean Service, Center for Coastal Monitoring and Assessment, Silver Spring, MD.
- Hartwell, S.I., J. Hameedi, and M. Harmon. 2001. Magnitude and Extent of Contaminated Sediment and Toxicity in Delaware Bay. NOAA Technical Memorandum. NOS NCCOS CCMA 148. National Oceanic and Atmospheric Administration, National Ocean Service, Silver Spring, MD, 107pp.
- Holderied, K., D. Pirhalla, V. Ransibrahmanakul, and R.P. Stumpf. 2003. Application of Improved SeaWiFS Chlorophyll Data in Estuarine and Coastal Waters. Presented at the17th Biennial Conference of the Estuarine Research Federation, September 14-18, 2003. Seattle, WA.

- Hood, D.W. and S.T. Zimmerman (eds.). 1986. The Gulf of Alaska: Physical Environment and Biological Resources. MMS 86-0095. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Ocean Assessment Division, Alaska Office, 655 pp.
- Jackson, LE., J.C. Kurtz, and W.S. Fisher (eds.). 2000. Evaluation Guidelines for Ecological Indicators. EPA/620/R-99/005. U.S. Environmental Protection Agency, Office of Research and Development, Research Triangle Park, NC.
- Landry, M.R., J.R. Postel, W.K. Peterson, and J. Newman. 1989. Broad-scale patterns in the distribution of hydrographic variables. In *Coastal Oceanography of Washington and Oregon*. M.R. Landry and B.M. Hickey (eds.). Amsterdam: Elsevier Press.
- Lauenstein, G.G., E.A. Crecelius, and A.Y. Cantillo. 2000. Baseline Metal Concentrations of the U.S. West Coast and Their Use in Evaluating Sediment Contamination. Presented at the Society for Environmental Toxicology and Chemistry Annual Meeting. Nashville, TN, November 12–15.
- Long, E.R., and L.G. Morgan. 1990. The Potential for Biological Effects of Sediment-Sorbed Contaminants Tested in the National Status and Trends Program. NOAA Technical Memorandum NOS OMA 52. National Oceanic and Atmospheric Administration, Office of Oceanography and Marine Assessment, Seattle WA.
- Long, E.R., D.A. Wolfe, R.S. Carr, K.J. Scott, G.B. Thursby, H.L. Windom, R. Lee, F.D. Calder, G.M. Sloane, and T. Seal. 1994. Magnitude and Extent of Sediment Toxicity in Tampa Bay, Florida. NOAA Technical Memorandum NOS ORCA 78. National Oceanic and Atmospheric Administration, Office of Ocean Resources Conservation and Assessment, Silver Spring, MD.
- Long, E.R., D.D. MacDonald, S.L. Smith, and F.D. Calder. 1995. Incidence of adverse biological effects within ranges of chemical concentrations in marine and estuarine sediments. *Environmental Management* 19(1):81–97.
- Long, E.R., A. Robertson, D.A. Wolfe, J. Hameedi, and G.M. Sloane. 1996. Estimates of the spatial extent of sediment toxicity in major U.S. estuaries. *Environmental Sciences & Technology* 30:3585–3592.
- Long, E.R., J. Hameedi, A. Robertson, M. Dutch, S. Aasen, K. Welch, S. Magoon, R. Carr, T. Johnson, J. Biedenbach, K. Scott, C. Mueller, and J. Anderson. 2000. Sediment Quality in Puget Sound: Year 2, Central Puget Sound. NOS NCCOS CCMA Technical Memo No. 147. National Oceanic and Atmospheric Administration, National Ocean Service, Silver Spring, MD; and Washington State Department of Ecology, Olympia, WA. Publication No. 00-03-055.
- Macauley, J.M., J.K. Summers, and V.D. Engle. 1999. Estimating the ecological condition of the estuaries of the Gulf of Mexico. *Environmental Monitoring and Assessment* 57:59–83.
- Martin, D.M., T. Morton, T. Dobrzynski, and B. Valentine. 1996. Estuaries on the Edge: The Vital Link Between Land and Sea. A Report by American Oceans Campaign. Web site at http://www.americanoceans.org/estuary/edge.htm.

- May, E.B. 1973. Extensive oxygen depletion in Mobile Bay, Alabama. *Limnology and Oceanography 18*:353–366.
- MacDonald, D.D. 1994. Development of an Approach to Assessing Sediment Quality in Florida Coastal Waters: Volume 2—Development of the Sediment Quality Assessment Guidelines.

  Report prepared for Florida Department of Environmental Regulation. Tallahassee, FL.
- McFarlane, R.W. 2001. Colonial waterbirds population trends in Galveston Bay. In *Proceedings of the Fifth Galveston Bay Estuary Program State of the Bay Symposium*, Webster, TX, January 31–February 2. Galveston Bay Estuary Program Publication GBEP-5.
- Mearns, A.J., T.P. O'Connor, and G.G. Lauenstein. 1999. Relevance of the National Mussel Watch Program to seafood fisheries management issues during oil spill response. In Proceedings, 1999 International Oil Spill Conference, American Petroleum Institute. Publication 4686B, pp. 7001–7008.
- Mississippi River/Gulf of Mexico Watershed Nutrient Task Force. 2001. Action Plan for Reducing, Mitigating, and Controlling Hypoxia in the Northern Gulf of Mexico. Washington, DC.
- Moore, R.B., C.M. Johnston, K.W. Robinson, and J.R. Deacon. 2004. Estimation of total nitrogen and phosphorus in New England streams using spatially referenced regression models. *Scientific Investigations Report 2004-5012*, U.S. Geological Survey, Reston, VA.
- National Invasive Species Council. 2001. Meeting the Invasive Species Challenge: In *National Invasive Species Management Plan*.
- NMFS (National Marine Fisheries Service). 2002. NOAA Fisheries 2001 Report. U.S. Department of Commerce, NOAA National Marine Fisheries Service, Silver Spring, MD.
- NMFS (National Marine Fisheries Service). 2003. Our Living Oceans: Report on the Status of U.S. Living Marine Resources, 2001. U.S. Department of Commerce, NOAA Tech. Memo. NMFS-F/SPO-41.
- NMFS (National Marine Fisheries Service). Personal communication. Fisheries Statistics and Economics Division, Silver Spring, MD. http://www.st.nmfs.gov/st1/.
- NOAA (National Oceanic and Atmospheric Administration). 1988. A National Atlas: Health and Use of Coastal Waters, United States of America. Fishery Resource Assessment Programs and Large Marine Ecosystems, Folio Map No. 7. National Ocean Service, Office of Oceanography and Marine Assessment.
- NOAA (National Oceanic and Atmospheric Administration). 1990. *Estuaries of the United States: Vital Statistics of a National Resource Base*. Strategic Assessment Branch, Ocean Assessments Division, OMA/NOS, Rockville, MD.
- NOAA (National Oceanic and Atmospheric Administration/U.S. EPA (U.S. Environmental Protection Agency). 1991. Strategic Assessment of Near Coastal Waters. Susceptibility and Status of West Coast Estuaries to Nutrient Discharges: San Diego Bay to Puget Sound. Summary Report. Strategic Assessment Branch, Rockville, MD.

- NOAA (National Oceanic and Atmospheric Administration). 1998a. *Population and Development in Coastal Areas*. Office of Ocean Resources Conservation and Assessment, Silver Spring, MD. Available at http://spo.nos.noaa.gov/projects/population/population.html.
- NOAA (National Oceanic and Atmospheric Administration). 1998b. "Population: Distribution, Density and Growth" by T.J. Culliton. In *NOAA's State of the Coast Report*, Silver Spring, MD. Web site at http://state-of-coast.noaa.gov/bulletins/html/pop\_01/pop.html.
- NOAA (National Oceanic and Atmospheric Administration). 1998c. NOAA's Estuarine Eutrophication Survey, Vol. 5: Pacific Coast Region. Office of Ocean Resources Conservation and Assessment, Silver Spring, MD.
- NOAA (National Oceanic and Atmospheric Administration). 1999a. *Estuarine Eutrophication Survey. National Assessment of Nutrient Enrichment Conditions in Estuaries*. Office of Ocean Resources Conservation Assessment, Silver Spring, MD.
- NOAA (National Oceanic and Atmospheric Administration).1999b. *Coastal Assessment and Data Synthesis System*. Special Projects Office. Available at: http://spo.nos.noaa.gov/projects/cads/
- NRC (National Research Council). 1997. Striking a Balance: *Improving Stewardship of Marine Areas*. National Academy Press, Washington, DC.
- NRC (National Research Council). 2000. Clean Coastal Waters: Understanding and Reducing the Effects of Nutrient Pollution. National Academy Press, Washington, DC.
- Nixon, S.W., J.W. Ammerman, L.P. Atkinson, V.M. Berounsky, G. Billen, W.C. Boicourt, W.R. Boynton, T.M. Church, D.M. DiToro, R. Elmgren, J.H. Garber, A.E. Giblin, R.A. Jahnke, N.J.P. Owens, M.E.Q. Pilson, and S.P. Seitzinger. 1996. The fate of nitrogen and phosphorous at the land-sea margin of the North Atlantic Ocean. *Biogeochemistry* 35:141–180.
- Noble, R.T., S.B. Weisberg, M.K. Leecaster, C.D. McGee, J.H. Dorsey, P. Vainik, and V. Orozco-Borbo'n. 2003. Storm effects on regional beach water quality along the southern California shoreline. *Journal of Water and Health 1*:23-31.
- Northeast Fisheries Science Center. 2001a. Report of the 32nd Northeast Regional Stock Assessment Workshop (32nd SAW) Stock Assessment Review Committee (SARC) Consensus Summary of Assessments. Northeast Fisheries Science Center Reference Document 01-05, Woods Hole, MA.
- Northeast Fisheries Science Center. 2001b. Report of the 33rd Northeast Regional Stock Assessment Workshop (33rd SAW) Stock Assessment Review Committee (SARC) Consensus Summary of Assessments. Northeast Fisheries Science Center Reference Document 01-18, Woods Hole, MA.
- NWI (National Wetlands Inventory). 2002. Results of the 2000 wetlands inventory. Personal Communication from Tom Dahl, U.S. Fish and Wildlife Service, National Wetland Inventory.

- O'Connor, T.P., K.D. Daskalakis, J.L. Hyland, J.F. Paul, and J.K. Sumers. 1998. Comparisons of sediment toxicity with predictions based on chemical guidelines. *Environmental Toxicology and Chemistry* 17(3):468-471.
- O'Connor, T.P., and J.F. Paul. 2000. Misfit between sediment toxicity and chemistry. *Marine Pollution Bulletin 40*:59–64.
- Paul, R.W. 2001. Geographical signatures of Middle Atlantic estuaries: Historical layers. *Estuaries 24*(2):151–166.
- Paul, J.F., J.H. Gentile, K.J. Scott, S.C. Schimmel, D.E. Campbell, and R.W. Latimer. 1999. EMAP-Virginian Province Four-Year Assessment Report (1990–1993). EPA 600/R-99/004. Prepared for the U.S. Environmental Protection Agency, Atlantic Ecology Division, Narragansett, RI.
- Paul, J.F., K.J. Scott, D.E. Campbell, J.H. Gentile, C.S. Strobel, R.M. Valente, S.B. Weisberg, A.F. Holland, and J.A. Ranasinghe. 2001. Developing and applying a benthic index of estuarine condition for the Virginian Province. *Ecological Indicators* 1:83–99.
- Poag, C.W. 1999. Chesapeake Invader, Discovering America's Giant Meteor Crater. Princeton, NJ: Princeton University Press.
- Port of Houston Authority. 2003. Port of Houston Authority online information. Web site at http://www.portofhouston.com/geninfo/overview1.html.
- Puget Sound Water Quality Action Team. 2002. Puget Sound's Health 2002: Status and Trends of Key Indicators of Puget Sound's Health. Web site at http://www.psat.wa.gov/Publications/pshealth2002/pshealth.html.
- Pulich, W.M., Jr., and W.A. White. 1991. Decline of submerged vegetation in the Galveston Bay system: Chronology and relationship to physical processes. *Journal of Coastal Research 7*:1125–1138.
- Rabalais, N.N., R.E. Turner, D. Justiç, Q. Dortch, and W.J. Wiseman, Jr. 1999. Characterization of Hypoxia: Topic 1 Report for the Integrated Assessment on Hypoxia in the Gulf of Mexico. NOAA Coastal Ocean Program Decision Analysis Series No. 15. NOAA Coastal Ocean Program, Silver Spring, MD.
- Rabalais, N.N., R.E. Turner, and W.J. Wiseman, Jr. 2002. Gulf of Mexico hypoxia, a.k.a. "The Dead Zone." *Annual Review of Ecology and Systematics* 33:235–263.
- Robinson, L. 2003. Personal communication from Lance Robinson, Texas Parks and Wildlife Department to Thomas O'Connor, National Oceanic and Atmospheric Administration. May 2.
- Roman, C.T., N. Jaworski, F.T. Short, S. Findlay, and R.S. Warren. 2000. Estuaries of the northeastern United States: Habitat and land use signatures. *Estuaries* 23(6):743–764.
- Sanger, D.M., M.D. Arendt, Y. Chen, E.L. Wenner, A.F. Holland, D. Edwards, and J. Caffrey. 2002. A Synthesis of Water Quality Data: National Estuarine Research Reserve System-wide Monitoring Program (1995-2000). National Estuarine Research Reserve Technical Report Series 2002:3. South Carolina Department of Natural Resources, Marine Resources Division Contribution No. 500. 135 p.

- Scavia, D., N.N. Rabalais, E.R. Turner, D. Justic, and W.W. Wiseman Jr. 2003. Predicting the response of Gulf of Mexico hypoxia to variations in Mississippi River nitrogen load. *Limnol. Oceanogr.* 48(3): 951-956.
- SCDNER (South Carolina Department of Natural Resources). 2002. *The Condition of South Carolina's Estuarine and Coastal Habitats During 1999-2000. Technical Report.* Marine Resources Research Institute, Charleston, SC.
- Serchuk, F.M., and S.A. Murawski. 1997. The offshore molluscan resources of the northeastern coast of the United States: Surfclams, ocean quahogs, and sea scallops. In *The History, Present Condition, and Future of the Molluscan Fisheries of North and Central America and Europe, Volume 1, Atlantic and Gulf Coasts.* C.L. MacKenzie, Jr., V.G. Burrell, Jr., A. Rosenfield, and W.L. Hobart (eds.). NOAA Tech. Rep. NMFS 127:45–62. U.S. Department of Commerce, Washington, DC.
- Sherman, K., J. Kane, S. Murawski, W. Overholtz, and A. Solow. 2002. The U.S. Northeast Shelf Large Marine Ecosystem: Zooplankton Trends in Fish Biomass Recovery. pp. 195-215. In: *Large Marine Ecosystems of the North Atlantic*. K.Sherman and H.R. Skjoldal (eds.). Elsevier. Amsterdam.
- Smith, R.A., R.B. Alexander, G.D. Tasker, C.V. Price, K.W. Robinson, and D.A. White. 1993. Statistical modeling of water quality in regional watersheds. In *Proceeding of Watershed* '93, A National Conference on Watershed Management. Alexandria, VA, March 21–24. EPA-840-R-94-002. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- Smith, R.A., G.E. Schwarz, and R.B. Alexander. 1997. Regional interpretation of water-quality monitoring data. *Water Resources Research* 33(12):2781–2798.
- Smith, R.W., M. Bergen, S.B. Weisberg, D. Cadien, A. Dalkey, D. Montagne, J.K. Stull, and R.G. Velarde. 1998. Benthic Response Index for Assessing Infaunal Communities on the Mainland Shelf of Southern California. Southern California Coastal Water Research Project, 1997–98 Annual Report, Westminster, CA.
- Southern California Coastal Water Research Project (SCCWRP). 1998. Southern California Bight 1994 Pilot Project. Volumes I–V. Westminster, CA.
- Stedman, S.M., and J. Hanson. 2000. Habitat Connections: Wetlands, Fisheries and Economics in the South Atlantic Coastal States. National Oceanic and Atmospheric Administration, National Marine Fisheries Service. Web site at http://www.nmfs.noaa.gov/habitat/habitatconservation/publications/habitatconections/num2.htm.
- Texas Department of Health (TDH). 2001. TDH study shows fish, crabs from most of Galveston Bay safe to eat. TDH *News Release*, October 25.
- Texas Natural Resources Conservation Commission. 2002. *The State of Galveston Bay. Texas Commission on Environmental Quality*. Web site at www:tnrcc.state.tx.us/admin/topdoc/pd/020/02-04/galvestonbay.html.
- Thayer, G.W., W.J. Kenworthy, and M.S. Fonesca. 1984. *The Ecology of Eelgrass Meadows of the Atlantic Coast: A Community Profile*. FWS/OBS-84/02. U.S. Fish and Wildlife Service, Washington, D.C.

- Turgeon, D.D., R.G. Asch, B.D. Causey, R.E. Dodge, W. Jaap, K. Banks, J. Delaney, B.D. Keller, R. Speiler, C.A. Matos, J.R. Garcia, E. Diaz, D. Catanzaro, C.S. Rogers, Z. Hillis-Starr, R. Nemeth, M. Taylor, G.P. Schmahl, M.W. Miller, D.A. Gulko, J.E. Maragos, A.M. Friedlander, C.L. Hunter, R.S. Brainard, P. Craig, R.H. Richond, G. Davis, J. Starmer, M. Trianni, P. Houk, C.E. Birkeland, A. Edward, Y. Golbuu, J. Gutierrez, N. Idechong, G. Paulay, A. Tafileichig, and N. Vander Velde. 2002. The State of Coral Reef Ecosystems of the United States and Pacific Freely Associated States: 2002.
  National Oceanic and Atmospheric Administration, National Ocean Service, National Center for Coastal Ocean Science, Silver Spring, MD. Web site at http://www.nccos.noaa.gov/publications/notables.html#corals.
- Turner, R.E. and D.F. Boesch. 1988. Aquatic animal protection and wetland relationships: Insights gleaned following wetland loss or gain. In *The Ecology and Management of Wetlands*. Volume 1: Ecology of Wetlands. D.D. Hook, W.H. McKee, Jr., H.K. Smith, J. Gregory, V.G. Burrell, Jr., M.R. Devoe, R.E. Sojka, S. Gilbert, R. Banks, L.H. Stolzy, C. Brooks, T.D. Matthews, and T.H. Shear (eds.). Portland, OR: Timber Press.
- USACE (U.S. Army Corps of Engineers). 2003. *Houston-Galveston Navigation Channel Project Online Resource Center*. USACE Galveston District, Galveston, TX. Web site at http://www.swg.usace.army.mil/ items/hgnc/.
- U.S. Census Bureau. 1996. *Population in Coastal Counties: April 1, 1990 and July 1, 1994*. Bureau of the Census, Population Distribution Branch, Washington, DC. Web site at http://www.census.gov/population/estimates/county/9094cstl.txt.
- U.S. Census Bureau. 1997. 1997 *Economic Census*. Bureau of the Census, Washington, DC. Web site at http://www.census.gov/epcd/www/ econ97.html.
- U.S. Census Bureau. 2000. *U.S. Census 2000*. Bureau of the Census, Washington, DC. Web site at http://www.census.gov/main/www/ cen2000.html.
- U.S. Census Bureau. 2001. Current Population Reports, Series P23-205, Population Profile of the United States: America at the Close of the 20th Century. U.S. Government Printing Office, Washington, DC.
- U.S. Census Bureau. 2003. Population Datasets for Counties. Population Distribution Branch. U.S Census Bureau online information. Web site at http://www.census.gov/popest/datasets.html
- USDA (U.S. Department of Agriculture). 1999. 1997 Census of Agriculture. Volume 1: National, State, and County Tables. National Agricultural Statistics Service. Web site at http://www.nass.usda.gov/census/census97/volume1/vol1pubs.htm.
- U.S. EPA (U.S. Environmental Protection Agency). 1993. *Proposed Sediment Quality Criteria for the Protection of Benthic Organisms: Acenaphthene*. EPA/822/F-93/006. Office of Science and Technology, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1994. Methods for Assessing the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Amphipods. EPA/600/R-94/025. Office of Research and Development, Washington, DC.

- U.S. EPA. (U.S. Environmental Protection Agency). 1995. National Water Quality Inventory -1994 Report to Congress. EPA 841-R-95-005. Office of Water, Washington, D.C. December 1995.
- U.S. EPA (U.S. Environmental Protection Agency). 1997. The Incidence and Severity of Sediment Contamination in Surface Waters of the United States, Volume 1, National Sediment Quality Survey. EPA-823-R-97-006. Office of Water, Washington, DC. Web site at http://www.epa.gov/OST/cs/congress.html.
- U.S. EPA (U.S. Environmental Protection Agency). 1998. Clean Water Action Plan: Restoring and Protecting America's Waters. EPA-840-R-98-001. Office of Water, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1999. *Ecological Condition of Estuaries in the Gulf of Mexico*. EPA-620-R-98-004. Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL.
- U.S. EPA (U.S. Environmental Protection Agency). 2000a. Ambient Water Quality Criteria for Dissolved Oxygen (Saltwater): Cape Cod to Cape Hatteras. EPA-822-R-00-012. Office of Water, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 2000b. Coastal 2000 Northeast Component Information Management Plan. Draft report. Office of Research and Development, National Health and Environmental Effects Research Laboratory, Atlantic Ecology Division, Narragansett, RI.
- U.S. EPA (U.S. Environmental Protection Agency). 2000c. Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories, Volume 2: Risk Assessment and Fish Consumption Limits. EPA-823-B-00-008. Office of Water, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 2000d. *National Water Quality Inventory:* 1998 Report to Congress. EPA-841-R-00-001. Office of Water, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 2001a. National Coastal Condition Report. EPA-620/R-01/005. Office of Research and Development and Office of Water, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 2001b. Environmental Monitoring and Assessment Program (EMAP). National Coastal Assessment Quality Assurance Project Plan, 2001–2004. EPA/620/R-01/002. Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL.
- U.S. EPA (U.S. Environmental Protection Agency). 2002. *National Water Quality Inventory* 2000 Report. Office of Science and Technology, Office of Water, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 2003a. *BEACH Watch Program: 2002 Swimming Season*. Office of Water, Office of Science and Technology, Standards and Health Protection Division. Washington, D.C.
- U.S. EPA (U.S. Environmental Protection Agency). 2003b. *Mercury in Marine Life Database*. Office of Water, Office of Wetlands, Oceans, and Watersheds, Oceans and Coastal Protection Division. Washington, D.C.

- U.S. EPA (U.S. Environmental Protection Agency). 2003c. *National Listing of Fish and Wildlife Database* 2002. Office of Water, Office of Science and Technology, Standards and Health Protection Division. Washington, D.C.
- U.S. EPA (U.S. Environmental Protection Agency). 2004. Envirofacts Data Warehouse. Water Discharge Permits (PCS). Available at: http://www.epa.gov/enviro/html/pcs
- USGS (U.S. Geological Survey). 1999. 1992 National Land Cover Data. U.S. Geological Survey. EROS Data Center, Sioux Falls, South Dakota.
- Van Dolah, R.F., J.L. Hyland, A.F. Holland, J.S. Rosen, and T.T. Snoots. 1999. A benthic index of biological integrity for assessing habitat quality in estuaries of the southeastern USA. *Marine Environmental Research* 48:(4–5):269–283.
- Van Dolah, R.F., P.C. Jutte, G.H.M. Riekerk, M.V. Levisen, L.E. Zimmerman, J.D. Jones, A.J. Lewitus, D.E. Chesnut, W. McDermott, D. Bearden, G.I. Scott, and M.H. Fulton. 2002. The Condition of South Carolina's Estuarine and Coastal Habitats During 1999-2000: Technical Report. Technical Report No. 90. South Carolina Marine Resources Division, Charleston, SC.
- Vitousek, P.M., H.A. Mooney, J. Lubchenco, and J.N. Melillo. 1997. Human domination of Earth's ecosystems. *Science* 277:494–499.
- Walton, A.H., and A.W. Green. 1993. Probable Causes of Trends in Selected Living Resources in the Galveston Bay System. Galveston Bay National Estuary Program. GBNEP-33.
- Weisberg, S.B., J.A. Ranasinghe, D.D. Dauer, L.C. Schnaffer, R.J. Diaz, and J.B. Frithsen. 1997. An estuarine benthic index of biotic integrity (B-IBI) for Chesapeake Bay. *Estuaries 20*(1):149–158.
- Whittington, D., D. Amaral, and G. Cassidy. 1993. Research on economic resource valuation studies in Galveston Bay. In *Proceedings of the Second State of the Bay Symposium*, Webster, TX, February 4–6. Galveston Bay National Estuary Program Publication. GBNEP-23.
- Wilkinson, C.R. 2002. *Status of Coral Reefs of the World: 2002.* Global Coral Reef Monitoring Network and Australian Institute of Marine Science, Townsville, Australia.
- Zarbock, H.W., A.J. Janicki, D.T. Logan, and D.D. MacDonald. 1996. An Assessment of Sediment Contamination in Tampa Bay, Florida Using the Sediment Quality Triad Approach. Technical Publication No. 04-96. Prepared for Tampa Bay Estuary Program.